



Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

iber iii i (iis esed on Edeet did Eist)	Note: Blank spaces are not permitted. If any item is not
II.ens (legner	applicable, or no information is available, the space must be marked to indicate that.

Section I: Product and Company Identification

Manufactured for Rosco Laboratories Inc.	24-hour Emergency Telephone Contact Number CHEMTREC Domestic North America: 800-424-9300		
Address (Number, Street, City, State, and ZIP Code) 52 Harbor View Avenue Stamford CT, United States 06902	Telephone Number for Information 203-708-8900		
Date Prepared December, 2020	Date Updated June, 2022		

Section II: Hazard(s) Identification

Hazardous Components (Specific Chemical Identity; Common Name(s)) Ethanol (CAS:64-17-5)





OSHA PEL

ACGIH TLV

Other Limits Recommended

HMIS Rating: Health: 1, Flammability: 3, Reactivity: 0

Routes of Exposure: Eye contact, Skin Contact, Ingestion, Inhalation

Health Hazards (Acute and Chronic)

Hazard Statements –

H302: Harmful if swallowed

H315+H320: Causes skin and eye irritation

H335: May cause respiratory irritation

Precautionary Statements –

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do – continue rinsing.

P302+352: IF ON SKIN: Wash with plenty of water.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P315: Get immediate medical advice/attention.



Section II - Hazard(s) Identification (Continued)

Signs and Symptoms of Exposure None known
Medical Conditions Generally Aggravated by Exposure None known

Section III – Composition / Information on Ingredients

No reportable Hazardous Substance(s) or Complex Substance(s).

Inquadiant	CAC Number	0/ hv Waight	ACGIH TLV		OSHA PEL	
ingredient	CAS Number	% by Weight	<u>TWA</u>	STEL	PEL STEL	
Ethanol	64-17-5	40 - 70	1000ppm TWA	N/Av	1000ppm N/Av TWA:1900 Mg/m3 TWA	

Section IV: First Aid Measures

Eyes: Flush eyes thoroughly with running water for at least 20 minutes, holding eyelids open to ensure complete flushing. If irritation persists, seek prompt medical attention.

Skin: Remove and wash contaminated clothing before re-use. Wash affected areas with soap and water.

Inhalation: If inhaled, move to fresh air. If irritation persists, seek prompt medical attention. **Ingestion:** Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water. Call a physician immediately. Clean mouth with water and drink afterwards plenty of water.

Section V: Fire – Fighting Measures

Flash Point (Method Used) > 80 °F (CCC)	Flammable Limits N/A	LEL N/A	UEL N/A		
Extinguishing Media Use water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.					
Special Fire Fighting Procedures Wear self-contained breathing apparatus and full protective clothing					
Unusual Fire and Explosion Hazards Keen containers tightly closed, isolate for	rom heat snarks and onen fla	mes			



Section VI: Accidental Release Measures

Personal Precautions:

Isolate area. Keep unnecessary personnel away.

Environmental precautions:

Stop spill/release if it can be done safely. Prevent from entering drains, sewers, waterways, or any place where accumulation may occur. If necessary, dike well ahead of the spill to prevent runoff.

Method for Clean Up:

Soak up with inert absorbent material (e.g. sand, silica gel, sawdust). Keep in suitable, well labelled and closed containers for disposal.

Section VII: Handling and Storage

Handling

Keep out of the reach of children. Avoid breathing vapors, contact with eyes, skin and clothing. Do not ingest. Wash hands thoroughly after handling. Use only with adequate ventilation.

Storing

Keep tightly closed and well labelled. Store in a cool, dry, well ventilated area. Do not freeze. Keep away from heat.

Section VIII: Exposure Controls/Personal Protection

Respiratory Prot	ection (Specify Type)			
Not normally need	led.			
Ventilation	Local Exhaust		Special	
General	To capture hot fumes.			
	Mechanical (General)		Other	
Protective Gloves	\$	Eye Protection		
Chemical Resistant gloves		Chemical goggles		
Other Protective	Clothing or Equipment			
Suitable protective	e clothing.			
Work/Hygienic P	ractices:			
Always observe go	ood personal hygiene measures	, such as	washing after handling the material and	
before eating, drin	iking, and/or smoking			



Section IX: Physical and Chemical Properties

Boiling Point	86°C	Specific Gravity ($H_2O = 1$)	0.86 - 0.89		
Vapor Pressure (mm Hg.)	N/A	рН	N/A		
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	Slower than ether		
Solubility in Water: Complete					
Physical State: Liquid					
Appearance: Light Blue					
Odor: Slight alcohol odor					

Section X: Stability and Reactivity

Stability:	Stable under normal conditions	Hazardous Polymerization:	Will Not Occur			
Incompatibility (Materials to Avo	oid):				
Strong oxidizing	Strong oxidizing agents					
Conditions to Avoid:						
High temperatures. Fire or intense heat may cause violent rupture of packages.						
Possibility of Hazardous Reactions:						
Will not occur						
Hazardous Decomposition Products:						
Oxides of Carbon						

Section XI: Toxicological Information

\sim	•	• • .	10.11	T	4 •
10	rcina	TANICITY	// Ithai	r Intar	matian
	H CHIU	2CHICILY.	/ Ouici	ı ımıvı	mation:

None of the components are listed by: NTP, IARC, ACGIH, OSHA

Reproductive Toxicity:

Effects reported on human embryo and fetus with exposure to ethanol



Section XII: Ecological Information

Toxicity:

Not available

Biodegradability:

Not available

Bio-accumulative potential:

Not available

Other Adverse Effects:

None anticipated. However, it is recommended not to allow the material to enter the environment.

Section XIII: Disposal Considerations

Disposal Recommendations:

Disposal must be in accordance with current applicable local, state and Federal laws and regulations.

Section XIV: Transportation

Land (DOT):

UN1170, Class 3, Packaging Group II

May be shipped as LIMITED QUANTITY in containers of less than 1.0 L

Land (TDG): Not regulated for Land Transport

UN1170, Class 3, Packaging Group II

May be shipped as LIMITED QUANTITY in containers of less than 1.0 L in packages not exceeding 30 kg gross mass.

Sea (IMDG):

UN1170, Class 3, Packaging Group II

Packing Code: P001


Packing Special Provisions: P IBC

Code: IBC02

IBC Special Provision: -IMO Tank Instructions: T1 UN Tank Instructions: T4 Tank Special Provisions: TP1

Air (IATA):

UN1170, Class 3, Packaging Group II





Section XV: Regulatory Information

OSHA Hazard Communication Standard:

When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

EPCRA: This material contains no extremely hazardous substances.

SARA (311/312) Reportable Hazard Categories: Flammable

SARA (313) Toxic Release Inventory: This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

US State Right to Know Laws: California Proposition 65: This product contains a chemical known to the State of California to cause developmental harm. This product contains: Ethanol.

Section XVI: Other Information

Other Special Considerations: None

Disclaimer: This information is to the best of our knowledge and belief, accurate and reliable as of the date complied. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.